

Chapter 1 : The Health Hazards of Homosexuality -Modasta

Our blockbuster book, The Health Hazards of Homosexuality, is now available in paperback! The subject the mainstream pro-family movement doesn't want to touch! From MassResistance Press - after three years of preparation.

The cultural, legal and political affirmation of homosexuality in America is not filling the emptiness many feel or reducing the many risks of their lifestyle. While one half of my social circle has disappeared into relationships, kids and suburbs, the other has struggled through isolation and anxiety, hard drugs and risky behavior. Homosexual males also suffer from higher rates of cardiovascular disease, cancer, allergies, asthma, and a whole host of behavior-related infections and dysfunctions. And, Hobbes adds, the community itself is brutal and degrading to its members. Having been treated horribly since childhood, men like this author "the oft-repeated myth goes" are forced to live a lie. I know and trust the author of this MassResistance book, and that person has excellent research skills. Go [HERE](#) to buy yours today. Stay tuned for much more on this terrific resource. This e-book includes 1, endnotes with live links to sources including the CDC, medical and mental health professional associations, medical research, GLB advocacy groups and websites, and the mainstream media. Numerous documentary color photos enliven the text. The book looks at reasons for the higher levels of pathology in both physical and mental health experienced by these sexual minority groups, including life experiences, lifestyle choices, and risky sexual practices. Several chapters look at the higher incidence of mental health disorders exhibited by many in the GLB community, including depression, anxiety, suicidality, substance use, partner abuse, and BDSM practices. Gays and bisexual men, in particular, are most vulnerable and are driving recent increases in STD incidence. For decades Linda has worked to educate Americans about incredibly risky LGBTQ lifestyles "which are now being pushed on young people like never before. But the Left is busy blaming conservatives and everything but the obvious. Why are young bodies built for heterosexuality engaging in the sexual equivalent of anorexia, defying anatomy and a positive, healthy future? In a family with suspected child abuse, what should be done? What if the abusive parents were never investigated, but instead other possible explanations were accepted by authorities? Mean classmates, poor nutrition, or maybe " Republicans? The above is a CDC graphic; click to enlarge. We are working on several projects that will pull together the massive amount of public information documenting the extreme health risks of homosexual lifestyles: Give safely online [HERE](#) or send you check or money order to: There is also an option online for monthly giving. A Freedom Too Far: Show it to your church small-group, or your entire church! Bulk discounts of these and other pro-family books are also available. Description of homosexual perversion Can you handle the truth about homo-sex? Here is a quotation from Dr. This item is reprinted from issue of Lambda Report, the print predecessor to Americans For Truth. Goldstone writes emphasis is authors: Think of his penis as a battering ram, one for which your internal sphincter is no match. A Medical Handbook for Men, Dell: New York, , p.

Chapter 2 : Homosexual Group Admits Health Risks of Homosexual Behavior

The Health Hazards of Homosexuality addresses the public health aspect of homosexuality. Its secular viewpoint is especially useful and cannot be dismissed by adversaries as coming from a particular religious viewpoint.

Oral-anal There is an extremely high rate of parasitic and other intestinal infections documented among male homosexual practitioners because of oral-anal contact. In fact, there are so many infections that a syndrome called "the Gay Bowel" is described in the medical literature. It is because of this practice that intestinal parasites ordinarily found in the tropics are encountered in the bodies of American gay men. Combined with anal intercourse and other homosexual practices, "rimming" provides a rich opportunity for a variety of infections. These diseases, with consequences that range from severe and even life-threatening to mere annoyances, include Hepatitis A,³⁶ Giardia lamblia, Entamoeba histolytica,³⁷ Epstein-Barr virus,³⁸ Neisseria meningitides,³⁹ Shigellosis, Salmonellosis, Pediculosis, scabies and Campylobacter. This water-borne disease, well known in the tropics, only infects people each year in the United States, usually as a result of ingestion of contaminated food or water while abroad. But sexual transmission was diagnosed in Ohio in a series of male sex partners of one male who had traveled to Puerto Rico. The New England Journal of Medicine described one cohort in San Francisco where 38 percent of the men who admitted any homosexual contact within the previous five years tested positive for this virus while none of the exclusively heterosexual men tested positive. Human Waste Some gay men sexualize human waste, including the medically dangerous practice of coprophilia, which means sexual contact with highly infectious fecal wastes. Fisting "Fisting" refers to the insertion of a hand or forearm into the rectum, and is far more damaging than anal intercourse. Tears can occur, along with incompetence of the anal sphincter. The result can include infections, inflammation and, consequently, enhanced susceptibility to future STDs. Twenty-two percent of homosexuals in one survey admitted to having participated in this practice. Sadism The sexualization of pain and cruelty is described as sadism, named for the 18th Century novelist, the Marquis de Sade. His novel Justine describes repeated rapes and non-consensual whippings. But a recent advertisement for a sadistic "conference" included a warning that participants might see "intentional infliction of pain [and] cutting of the skin with bleeding. Conclusion The consequences of homosexual activity have significantly altered the delivery of medical care to the population at-large. With the increased incidence of STD organisms in unexpected places, simple sore throat is no longer so simple. Doctors must now ask probing questions of their patients or risk making a misdiagnosis. The evaluation of a sore throat must now include questions about oral and anal sex. A case of hemorrhoids is no longer just a surgical problem. We must now inquire as to sexual practice and consider that anal cancer, rectal gonorrhea, or rectal chlamydia may be secreted in what deceptively appears to be "just hemorrhoids. Even though nearly 11 million people in America are directly affected by cancer, compared to slightly more than three-quarters of a million with AIDS,⁵⁶ AIDS spending per patient is more than seven times that for cancer. But it is also because there are fewer lesbians than gay men,⁶⁰ and there is no evidence that lesbians practice the same extremes of same-sex promiscuity as gay men. The lesser amount of medical data does not mean, however, that female homosexual behavior is without recognized pathology. Much of the pathology is associated with heterosexual activity by lesbians. Among the difficulties in establishing the pathologies associated with lesbianism is the problem of defining who is a lesbian. Although researchers have only recently begun studying the transmission of STDs among lesbians, diseases such as "crabs," genital warts, chlamydia and herpes have been reported. Psychiatric Illness Multiple studies have identified high rates of psychiatric illness, including depression, drug abuse and suicide attempts, among self-professed gays and lesbians. They point to homophobia, effectively defined as any opposition to or critique of gay sex, as the cause for the higher rates of psychiatric illness, especially among gay youth. An extensive study in the Netherlands undermines the assumption that homophobia is the cause of increased psychiatric illness among gays and lesbians. The Dutch have been considerably more accepting of same-sex relationships than other Western countries in fact, same-sex couples now have the legal right to marry in the Netherlands. The Dutch study, published in the Archives of General Psychiatry, did indeed find a high rate of psychiatric disease

associated with same-sex sex. Females with any homosexual contact within the previous 12 months were more often diagnosed with major depression, social phobia or alcohol dependence. In fact, those with a history of homosexual contact had higher rates of nearly all psychiatric pathologies measured in the study. The outcomes are in line with findings from earlier studies in which less rigorous designs have been employed. Reckless Sexual Behavior Depression and drug abuse can lead to reckless sexual behavior, even among those who are most likely to understand the deadly risks. One night when a gay HIV prevention educator named Seth Watkins got depressed, he met an attractive stranger, had anal intercourse without a condom and became HIV positive. In spite of his job training, the HIV educator nevertheless employed the psychological defense of "denial" in explaining his own sexual behavior: Watkins sometimes still puts himself and possibly other people at risk. And there was just something about that particular circumstance and that particular person. It just appealed to me; it made it seem like it was all right. One fatalistic gay man with HIV makes no apology for putting other men at risk: I was tired of always having to be careful, of this constant diligence that has to be paid to intimacy when intimacy should be spontaneous. If people want to use condoms, they can. A study in Seattle found that 10 percent of HIV-positive men admitted they engaged in unprotected anal sex, and the percentage doubled in Ten percent of the men surveyed expected to become HIV-positive in their lifetime. Researchers discovered that 17 percent of the circuit party attendees surveyed were already HIV positive. Although only 57 percent admit going to circuit parties to use drugs, 95 percent of the survey participants said they used psychoactive drugs at the most recent event they attended. But neither education nor adequate access to health care is a deterrent to such reckless behavior. Shortened Life Span The greater incidence of physical and mental health problems among gays and lesbians has serious consequences for length of life. While many are aware of the death toll from AIDS, there has been little public attention given to the magnitude of the lost years of life. An epidemiological study from Vancouver, Canada of data tabulated between and for AIDS-related deaths reveals that male homosexual or bisexual practitioners lost up to 20 years of life expectancy. The study concluded that if 3 percent of the population studied were gay or bisexual, the probability of a year-old gay or bisexual man living to 65 years was only 32 percent, compared to 78 percent for men in general. For example, suicide rates among a San Francisco cohort were 3. The most extensive survey of sex in America found that "a vast majority [of heterosexual married couples] are faithful while the marriage is intact. Even during the coupling period, many gay men do not expect monogamy. A lesbian critic of gay males notes that: Gay men reportedly have sex with someone other than their partner in 66 percent of relationships within the first year, rising to approximately 90 percent if the relationship endures over five years. In one study, only 15 percent of gay men and The ideal of sexual activity being limited to marriage, always defined as male-female, has been a fence erected in all civilizations around the globe. Still, the fence stands; the limits are visible to all. Climbing over the fence, metaphorically, has always been recognized as a breach of those limits, even by the breachers themselves. No civilization can retain its vitality for multiple generations after removing the fence. If gay sex is socially acceptable, what logical reason can there be to deny social acceptance of adultery, polygamy, or pedophilia? The polygamist movement already has support from some of the advocates for GLB rights. Comparatively fewer accounts refer to anal sex. My own informal survey of older gay men who were sexually active prior to World War II gives credence to the idea that anal sex, especially anal sex with multiple partners, was considerably less common than it later became. As early as , Newsweek reported that the growing media presence and social acceptance of homosexual behavior was leading to teenager experimentation to the extent that it was "becoming chic. Indeed, giving gays and lesbians the social approval they desire may ultimately lead to an early death for employees who otherwise might have restrained their sexual behavior. Research designed to prove that gays and lesbians are "born that way" has come up empty there is no scientific evidence that being gay or lesbian is genetically determined. Identification with a GLB community appears to lead to an increase in promiscuity, which in turn leads to a myriad of Sexually Transmitted Diseases and even early death. A compassionate response to requests for social approval and recognition of GLB relationships is not to assure gays and lesbians that homosexual relationships are just like heterosexual ones, but to point out the health risks of gay sex and promiscuity. Approving same-sex relationships is detrimental to employers, employees and society in general. For many,

being gay or lesbian or bisexual is a political identity that does not necessarily correspond to sexual behavior. And investigators find that sexual behavior fluctuates over time: A man who has sex with men today, for example, might not have done so 10 years ago. Joanne Loulan, a well-known lesbian, has talked openly about her two-year relationship with a man: An article about the now defunct couple, Anne Heche and Ellen Degeneres, said, "Although the pair never publicly discussed the reason for their breakup, it has been heavily rumored that Heche decided to go back to heterosexuality. But I actually am a lesbian. Gay author John Stoltenberg has lived with a lesbian, Andrea Dworkin, since As one group of researchers stated the problem: Does a man who left his wife of twenty years for a gay lover count as a homosexual or heterosexual? Do you count the number of years he spent with his wife as compared to his lover? Does the married woman who had sex with her college roommate a decade ago count? Do you assume that one homosexual experience defines someone as gay for all time? The most reliable studies indicate that percent of people and probably less than 2 percent consider themselves to be gay, lesbian or bisexual, or currently practice same-sex sex. Gabriel Rotello, Sexual Ecology: Penguin Group, quoting gay writer Michael Lynch. Bell and Martin S. A study of Diversity Among Men and Women, p. Simon and Schuster, Leon McKusick, et al. In respondents reported an average of 4. Kelly, PhD, et al. A lesbian pastor made this assertion during a question and answer session that followed a presentation the author made on homosexual health risks at the Chatauqua Institute in Western New York, summer Paul Van de Ven, et al. Gay, bisexual men affected most," San Francisco Chronicle, October 26, , www. Catherine Hutchinson, et al.

Chapter 3 : This Is The Anti-Gay Pamphlet Handed Out At The Values Voter Summit | HuffPost

Homosexuality refers to the emotional, romantic or sexual attraction to members of one's own sex. Commonly, the terms 'lesbian' for females and 'gays' for males are used to refer to their homosexuality.

Book discussion starts at I endorse the book What kind of people would promote this lifestyle to young people in schools? The breathless headlines from the main stream media announced that the nefarious Donald Trump spoke to those nefarious Values Voters. Dig down a bit, what you find is a big nothing burger. Oddly enough, the main stream media had no comment on the accuracy of the contents of the book. BuzzFeed quoted Gregory T. Their stories were about the people who wrote or promoted the book. Michelle Cretella of the American College of Pediatricians endorsed it. I too, am a certified hater, according to the Southern Poverty Law Center. Now that we have that out of the way, can we please discuss two serious questions: Is homosexual activity riskier than heterosexual activity? And if it is, does it matter? I happen to have a copy of The Health Hazards of Homosexuality on my shelf. I have not checked out all 1, footnotes. But I am familiar with many of the references cited. Sexual Revolutionaries airbrush all the negative consequences out of the picture. They consistently change the subject away from these consequences and back to their favorite topic: Anyone who tells you otherwise is not being truthful with you. If you care about the health and well-being of sexual minorities, you should want them to have full information about the risks associated with various practices. Flood of vituperative articles across the USA and as far. The truth really hurts, apparently. That was the one thing that they did NOT want to hear And yet the truth is that the health risks for the people that we are now told we must embrace fully and endorse and celebrate are suffering tremendously under lack of knowledge I feel very comfortable in bringing you this book. Its secular viewpoint is especially useful and cannot be dismissed by adversaries as coming from a particular religious viewpoint. The book hands us ammunition in our ongoing fight to revive the conservative values which will keep our society healthy -- both physically and spiritually. Paul Church speaks about the power of the LGBT lobby and "unprecedented censorship" in the medical profession and scientific establishment. He was fired for objecting to hospitals glorifying the male homosexual lifestyle through "gay pride" events. Not even Fox News would have him on the air to talk about his ordeal at the hands of the LGBT movement and its supporters. Church also discusses the safety of the blood supply. A new resource from an excellent pro-family organization, MassResistance It covers all the essential aspects of this issue and basically explodes any notion that our society should ever in any way endorse these identities and behavior The authors explore topics that usually go unmentioned This book is not for the faint-hearted I cannot emphasize enough how easy to read, yet thorough, this book is. Word Is Getting Out " March 28, The medical evidence paints a dire picture that should become an urgent public health problem as these behaviors ironically grow in popularity among youth Every person interested in homosexuality should have this book as a valuable resource " people struggling with same-sex attractions as well as relatives, parents, friends, pastors and public officials. The book summarizes what happened next: In the public schools, the promotion of just blatantly unhealthy behaviors, destructive behaviors, to kids -- and some of these are very young kids -- elementary school kids -- is just ghastly. And parents see this. Underneath this veneer of respectability is really a terrible nightmare of problems surrounding LGBT behavior The book is as important as it is difficult to get through. It is one of those small but hard-hitting and effective groups that fear nothing. If someone was to have witnessed me reading major parts of the book they would have assumed I was a speed reader. Some of the information included in the book is not easy to get through. So why am I recommending a book filled with such disgusting things? There were many other things I had been unaware of beforehand. Here are just a few of them: That was one of the sections I just paged-through. Thanks, but no thanks. Just one more thing. Why are bestiality videos sold at the International Mr. The politicized health organizations are as much to blame as the Leftist media and others advancing the LGBT agenda. Jason Salamone, Contributor , BarbWire. Nobody ever died from not having sex. Not all romantic and sexual inclinations, desires, and attractions should be acted on. This has grave consequences on our health as a culture, as families, and as individuals. Health Hazards is the most comprehensive book you will find on that

data, coming from indisputable medical sources the CDC, the pro-homosexual American Psychiatric and Psychological Associations, etc. This book contains the truth about the health risk associated with homosexual practice and gender confusion and addresses the politically-correct spin that organizations employ in their data reports out of fear of the homosexual activist lobby.

Chapter 4 : Lesbian, Gay, Bisexual, and Transgender Health | CDC

Health Hazards is the most comprehensive book you will find on that data, coming from indisputable medical sources (the CDC, the pro-homosexual American Psychiatric and Psychological Associations, etc.), and is clearly not part of some "right-wing conspiracy."

Homosexuals more likely to suffer from depression: While the Health 24 article suggested that homosexuals may be pushed to substance abuse and suicide because of anti-homosexual cultural and family pressures, empirical tests have shown that there is no difference in homosexual health risk depending on the level of tolerance in a particular environment. The average age for all residents in either country ranges from the mid-to-uppers. Recent research has identified risk factors for breast cancer that may differentially affect lesbian and bisexual women, including nulliparity and higher rates of alcohol consumption and overweight, that may place this population at greater [sic] risk than heterosexual women of developing breast cancer. Paul Van de Ven et al. Also, to ignore the facts of such promiscuity is dangerous in itself since policies and arguments are made based on facts. To ignore the facts means the policies and arguments are not sound when used to promote the homosexual lifestyle. Context determines meaning In defining words, context determines the meaning. Likewise, the context of homosexual acts is equally important. The pro-homosexual community wants to separate the act from the deleterious effects. Behaviors always have contexts, and homosexual activity is in the context of 1 a redefinition of sexual morals , and 2 its accompanying promiscuity. When you redefine sexual morals in a far more loose manner, consequences follow--such as an increase in promiscuity and disease. Young MSM ages 13 to 29 were most severely affected, representing more than one quarter of all new HIV infections nationally 27 percent; 12, in Again, there is a connection between the redefinition of sexual morals, the increase of promiscuity due to that redefinition, and the proliferation of disease due to the promiscuous behavior. As I said earlier, actions always have contexts. Homosexuality and reduced Lifespan Gay men lifespan shorter than non gay men: Why is the homosexual man 44 to 86 times more likely to be diagnosed with HIV than heterosexual men 2? Why is the incidence of domestic violence double that of heterosexual men 3? Why do lesbian women have greater health risks than heterosexual women 4? Conclusion Since behaviors always have contexts and rarely have no effect upon anyone else, it is obvious that homosexual behavior is indeed harmful. It is full of promiscuity and its related health risks. The facts speak contrary to the idea that mere homosexual activity harms no one.

Chapter 5 : Study: Higher health risks for homosexuals

The HEALTH HAZARDS of HOMOSEXUALITY answers the question: "Why should we be concerned about homosexuality?" The mainstreaming and normalization of homosexuality has created a public health crisis affecting us all.

Alcohol and smoking can be shown to damage liver and lung tissue among other things. These are directly responsible for harm and that can be shown through a direct relationship. Prostitution, in most cases, is a result of either necessity or being forced. In any case, certainly prostitution is a risky behavior. But if you looked at the effects of numerous random sex partners in a science lab, I doubt there would be a direct result of receiving money for sex as causing anything negative. Indirect, perhaps, due to low self esteem or lack of an emotional connection. Left handed people choose to be left handed. Being right handed is the way God intended because most people are right handed. Lots of suicidal left handed people. Lots of left handed people that engage in risky behavior. If you read the studies from the Netherlands that show a general acceptance of the gay lifestyle but also show increased suicide and suicidal thoughts in homosexuals, you will also see that regardless of the laws in place, homosexuals have a perceived discrimination and lack of acceptance. So while there may be legal protections, society is still not ready to fully accept. Homosexuality might be a risk factor for depression, but it is an indirect link at best, i. As far as anal cancer is concerned. HPV the virus that can cause ovarian and anal cancer is show to be higher in homosexual males because it is easier to spread HPV from a male to a partner rather than from a female to a partner. This higher incidence of HPV is thought to be the primary reason there are more anal cancers in homosexual men. So there again, risky behavior and bad decisions lead to these effects. Being gay does not. DCM May 14, at 1: But here we have a group of gays actually admitting to some of the facts, which means that they DID know them. Bob Ellis May 14, at 5: Despite the widespread and long-standing acceptance in these locations, homosexuals continue to suffer from these maladies at much higher rate. I suspect it has to do with the fact that such behavioral problems are common among any group of people who live in manners contrary to fundamental morality and natural behavior; the conscience is a hard critter to silence, even after years of beating it down, and that war with the conscience is usually reflected in depression-related expressions. That excuse has gotten so thin that even the politically correct APA is no longer even referring to genetics as a definitive cause of homosexual behavior. Kevin May 15, at 1: The sources you cite, I have read. No argument from me that playing around with or eating fecal matter is a dangerous thing. But is it only dangerous because they are gay? The AIDS epidemic in the gay community is a very serious issue. One HUGE reason is unprotected sex. These are all behavioral issues around inappropriate sexual practices and crimes. Now, if one of them goes outside the relationship and gets infected, well then we know what will happen. But that can be said of heterosexual couples as well. Having read some of the related articles the original in written in Dutch it is clear that the homosexual population, specifically the male population, is more depressed. I think it is very telling that they perceive a lack of acceptance despite the laws. Perception is a very powerful thing. Look at abortion in the US. Ultimately, these are minor points. Analogies are just that. I never chose to be right handed or straight, I just always have been. From what my gay friends have told me, they never recall choosing to be attracted to the same sex. They just always were. Fetal and neuro development is a very complex thing. Exposure to specific hormones at specific times determine who we are today. And things really get fragile once the fetus starts to develop. Another point I will concede is that of anal sex. The anus and rectum are certainly not designed for this type of activity. That and conflict with faith I think come the closest to being directly linkable to homosexuality. Ok, I think I addressed most of the issues I wanted to. My main point is that these are risks that are correlated with homosexuality not caused by being homosexual. You are implying that being gay causes these things. I think this is what the gay community is acknowledging. Let me ask you a question. Hypothetically speaking, if two men found that they had a strong connection to one another, lived together, but never had any type of sexual contact, would that be wrong? DCM May 15, at Here it is, slightly paraphrased. Regarding people who dispute the Christian viewpoint: In most cases you cannot reason with

them on a given issue even from a scientific point of view. In many cases they are attempting to rationalize some immoral lifestyle and Christian standards happen to step on their toes. May 15, at I keep trying the intellectual approach, though. You never know when someone might be at that point in their life when circumstances rip the blinders off and prepare them to receive the truth. I reached that point with my drinking and carousing several years ago, so I know it happens Bob Ellis May 15, at Of course, debunking only makes an impression on rational people. I see that the fact that human beings have a free will and, unlike mindless animals, can exercise moral and behavioral choice was also lost on you; how sad that you seem to think homosexuals are slaves to their impulses. You should quit trying to excuse the immoral and self-destructive behavior with flimsy protests, stop blaming those who try to help them get a grip on their behavior and try to change it, and display a more mature attitude. Mature people face reality head-on and try to deal with their deficiencies; immature people waste a lot of energy trying to excuse them and avoid dealing with them. DCM May 15, at 1: Even without that treatment, the inner conflict they feel is horrendous. Something is seriously wrong, and deep down they know it, but dealing with it rightly if they even know how involves more than they want to face. Lauren May 15, at 2: Did you even read what you wrote? Surely psychological torture, from your family and best friends, would make someone depressed. You could make a lot of these arguments for black people. Do you think that being born a black person is wrong because they live in poverty? Instead of trying to reach out to people in need with education we should obviously take the stance that they are evil and immoral and tell gay teenagers to live a life of celibacy and deny who they are. Atleast you would have one fewer thing to complain regarding your taxes. DCM May 15, at 4: May 15, at 6: I reached that point with my drinking and carousing several years ago, so I know it happens Bob Ellis May 15, at 6: DCM May 15, at 7:

Chapter 6 : The Health Hazards of Homosexuality

Charles Dickens famously opened his novel A Tale of Two Cities with the words, "It was the best of times, it was the worst of times." Those words came to my mind as I clawed my way through the new book by MassResistance, The Health Hazards of Homosexuality.

PRINT Last time I introduced the new and impressively researched book from MassResistance, which runs about pages and adds another pages of footnotes. For people whose entire identity and reason to live is based in their sexuality, what do they need to do in order to fit comfortably into our society? They must work to sexualize every part of society. From where does this madness spring? It makes perfect sense, according to the most respected psychoanalysts of our age. In chapter 3 of the book, MassResistance surveys the mental health data and provides footnotes for the reader to learn more. While the list is longer for men, bisexual men play the role of helping spread many of the diseases to women. This is not an exhaustive list: There are many more, but you get the picture. There were many other things I had been unaware of beforehand. Here are just a few of them: That was one of the sections I just paged-through. Thanks, but no thanks. Just one more thing. Homosexuals would deny that any in their community engage in bestiality intercourse with animals. Why are bestiality videos sold at the International Mr. In this information age, it is astounding how much information remains mostly, and purposefully hidden. The politicized health organizations are as much to blame as the Leftist media and others advancing the LGBT agenda. The Introduction of the book states it clearly: The mainstreaming of homosexuality is a serious threat to the public health and to the health of individuals caught up in the homosexual lifestyle. The American public is not being told how dangerous homosexuality is to the physical and mental health of its practitioners, as well as to our larger society. [Click here](#) to learn more about the book and to buy a copy. For up-to-the minute news, action alerts, coming events and more you can now sign up for IFI Text Alerts!

Chapter 7 : Our blockbuster book 'The Health Hazards of Homosexuality' now available in paperback.

The current media portrayal of gay and lesbian relationships is that they are as healthy, stable and loving as heterosexual marriages – or even more so. 1 Medical associations are promoting somewhat similar messages. 2 Sexual relationships between members of the same sex, however, expose gays, lesbians and bisexuals to extreme risks of Sexually Transmitted Diseases (STDs), physical injuries.

Articles in this section have been chosen to cast light on how the teachings of the Church intersect with the various social, moral, and legal developments in secular society. CERC will not publish articles which, in the opinion of the editor, expose gays and lesbians to hatred or intolerance. Some even believe they are being "compassionate" by not disclosing vital health information for fear of offending homosexuals. For those health professionals like Greg Quinlan who minister to the dying, compassion is the last word they would use to describe the deliberate withholding of potentially life-saving information from active homosexuals. The following is a brief review of what is currently known to medical science about the health risks associated with homosexual activity. A New York Times article reported that a young male homosexual has about a 50 percent chance of getting HIV by middle age. Among to year-olds, 52 percent of all AIDS cases reported among males in were among young men who have sex with men. Hogg, et al and published in the International Journal of Epidemiology vol. If the same pattern of mortality continues, we estimate that nearly half of gay and bisexual men currently aged 20 years will not reach their 65th birthday. Under the most liberal assumptions, gay and bisexual men in this urban center are now experiencing a life expectancy similar to that experienced by all men in Canada in the year Of particular concern is anal cancer. Youth who identify themselves as homosexual, lesbian and bisexual are four times more likely than their peers to suffer from major depression; three times more likely to suffer anxiety disorders, four times more likely to suffer conduct disorders, six times more likely to suffer from multiple disorders and more than six times more likely to have attempted suicide. Many homosexual activists point their finger at homophobia as the cause of these disorders, but the most extensive studies have been done in the Netherlands and New Zealand where homosexuality is widely accepted. In an interview with Zenit News, Dr. Richard Fitzgibbons, a child and adult psychiatrist in practice for more than 27 years, said, "Compared to controls who had no homosexual experience in the 12 months prior to the interviews, males who had any homosexual contact within that time period were much more likely to experience major depression, bipolar disorder, panic disorder, agoraphobia and obsessive compulsive disorder. Females with any homosexual contact within the previous 12 months were more often diagnosed with major depression, social phobia or alcohol dependence. These findings are the result of a lifestyle marked by rampant promiscuity and an inability to make commitments, combined with unresolved sadness, profound insecurity, anger and mistrust from childhood and adolescence. A study by Susan Turrell entitled "A descriptive analysis of Same-Sex Relationship Violence for a Diverse Sample," and published in the Journal of Family Violence vol 13, pp , found that relationship violence was a significant problem for homosexuals. Forty-four percent of gay men reported having experienced violence in their relationship; 13 percent reported sexual violence and 83 percent reported emotional abuse. Levels of abuse ran even higher among lesbians with 55 percent reporting physical violence, 14 percent reporting sexual abuse and 84 percent reporting emotional abuse. As outrageous as it might sound, "Most medical groups have embraced the homosexual agenda and are advocating that lifestyle despite all the scientific studies and medical evidence that demonstrate medical and psychological risks," said Joseph Nicolosi, President of the National Association for Research and Therapy of Homosexuality. They are contrary to the natural law. Father John Harvey, founder of Courage, a support group for people with same sex attraction who are seeking to live a chaste life, laments the fact that far too many people, including Catholics themselves, are left with the impression of ". Nothing could be further from the truth. For instance, there are substances in seminal fluid called "immuno-regulatory macromolecules" that send out "signals" that are only understood by the female body, which will then permit the "two in one flesh" intimacy required for human reproduction. When deposited elsewhere, these signals are not only misunderstood, but cause sperm to fuse with whatever somatic body cell they encounter. This fusing

is what often results in the development of cancerous malignancies.

Chapter 8 : Health Risks of Homosexuality | Sex Problems

Homosexuality - sexual relations with a member of the same sex - brings with it a set of health risks, which might not be similar to those associated with a heterosexual relationship.

Homosexuals fellate almost all of their sexual contacts and ingest semen from about half of these. Semen contains many of the germs carried in the blood, so gays who practice oral sex incur medical risks akin to consuming raw human blood. Since the penis frequently has tiny lesions and often will have been in unsanitary places such as a rectum, individuals so involved may become infected with hepatitis A or gonorrhoea and even HIV and hepatitis B. Rectal sex is dangerous. Because of this, these substances gain almost direct access to the blood stream. Unlike heterosexual intercourse in which sperm cannot penetrate the multilayered vagina and no feces are present, rectal intercourse is probably the most sexually efficient way to spread hepatitis B, HIV, syphilis, and a host of other blood-borne diseases. By , a third of gays admitted to doing it. Anal cancer is 24 times 27 and hepatitis C 10 times 28 more prevalent in gays. Those who eat or wallow in it are probably at even greater risk. Ingestion of human waste is the major route of contracting hepatitis A and the enteric parasites collectively known as the Gay Bowel Syndrome. Consumption of feces has also been implicated in the transmission of typhoid fever, 31 herpes, and cancer. An average of 10 per cent of all patients and asymptomatic contacts reported [to the Department] because of positive fecal samples or cultures for amoeba, giardia, and shigella infections were employed as food handlers in public establishments; almost 5 per cent of those with hepatitis A were similarly employed. Other Gay Sex Practices Sadomasochism: Fear of AIDS may have reduced the volume of gay sex partners, but the numbers are prodigious by any standard. In Spain, 53 gays averaged 42 per year in ; in an eight year longitudinal study in Amsterdam, the figure was 25 per year in Of San Francisco lesbians in a U. AIDS cases had occurred in gays and 30, U. The Gay Legacy Homosexuals rode into the dawn of sexual freedom and returned with a plague that has destroyed many of them. Those who treat AIDS patients are at risk, not only from HIV infection, which as of involved about health care workers, 62 but also from TB and new strains of other diseases. Imagine drinking urine, ingesting feces and experiencing rectal trauma on a regular basis. Further, many of them occur in extremely unsanitary places bathrooms, dirty peep shows, or, because homosexuals travel so frequently, in other parts of the world. Every year, a quarter or more of homosexuals visit another country. And fresh pathogens from these continents come here. Foreign homosexuals regularly visit the U. Unfortunately, the danger of these exchanges does not merely affect homosexuals. Travelers carried so many tropical diseases to New York City that it had to institute a tropical disease center, and gays carried HIV from New York City to the rest of the world. Homosexual practices create a third-world level of sanitation and chronic disease unknown to most Westerners. With the rise of new contagious diseases, homosexuality not only raises our medical costs, it increases the hazards of giving and getting medical care, receiving blood, and eating out. Because we care about them, smokers are discouraged from smoking by higher insurance premiums, taxes on cigarettes and bans against smoking in public. These social pressures cause many to quit. They likewise encourage non-smokers to stay non-smokers. Homosexuals are sexually troubled people engaging in dangerous activities. Because we care about them and those tempted to join them, it is important that we neither encourage nor legitimize such a destructive lifestyle. Karlen Sexuality and Homosexuality NY: Omega J of Death and Dying 29 3: Nebraska Medical J Annals Internal Medicine New England J Medicine J American Medical Assoc American J Epidemiology American J of Public Health American J Public Health J of Psychology J Sex Research

Chapter 9 : Facts About Youth Health Risks of the Homosexual Lifestyle

A flier distributed at the Values Voter Summit in Washington, D.C., on Friday that promoted a book titled "The Health Hazards of Homosexuality" prompted outcry when photos surfaced on social media.